

GEORGE C. PAPAVALASSILIOU

PUBLICATIONS – MAY 2009

A. Ph. D. THESIS

1. G. C. Papavassiliou, “Laser-Raman Spectra of Adsorbed Molecules”, Ph. D. Thesis, University of Athens, 1972.
Γ. Κ. Παπαβασιλείου “Laser-Raman φάσματα ουσιών εν προσροφήσει”
Διατριβή επί διδακτορία, Πανεπιστήμιο Αθηνών, 1972.

B. BOOKS EDITED

1. “Proceedings of the NATO ASI on Low Dimensional Systems and Molecular Electronics”, Spetses, Greece, June 1989; R. Metzger, P. Day, and G. C. Papavassiliou, Conference Editors; Plenum B1990; ISBN-13: 9780306438264; 742 pages.

C. PAPERS IN REFEREED JOURNALS

1. G. Karagounis, G. Papavassiliou and G. Makriyannis “Raman und IR- Spektren ansorbierter Molecule”, Chim. Chron. (New Ser.) 1, 80 (1972).
2. G. C. Papavassiliou “Raman Spectra in Flowing Liquids” Raman News Letter 11 (1973); Preliminary results have been presented in 3rd Int. Conf. Raman Spectroscopy, Reims, France 1972.
3. G. C. Papavassiliou and Th. Kokkinakis “Optical absorption spectra of surface plasmons in small copper particles” J. Phys. F: Metal Phys. 4, L67 (1974).
4. G. C. Papavassiliou “Surface plasmons in small Au-Ag alloy particles” J. Phys. F: Metal Phys. 6, L103 (1976).

5. Th. Kokkinakis and G. C. Papavassiliou "Surface Plasmons in Small Cu Particles", *Phys. Stat. Sol. (b)* 77, K49 (1976).
6. G. C. Papavassiliou "Optical Absorption Spectra of Silver, Gold and Copper Thin Films Chemically Deposited on Quartz Plates", *Z. Phys. Chemie*, 257, 241 (1976).
7. G. C. Papavassiliou "Plasma Resonance Absorption from Small $K_{1.62}Pt(C_2O_4)_2 \cdot 2H_2O$ Particles". *J. Phys. C: Solid State Phys.* 10, 489 (1977).
8. G. C. Papavassiliou "Surface plasmons in small $K_2Pt(CN)_4Br_{0.3} \cdot 2H_2O$ Particles", *Z. Phys. Chemie* 258, 174 (1977).
9. G. C. Papavassiliou and S. Spanou "Optical Absorption Spectra of Small Particles of K^+TCNQ^- and Related Compounds", *J. Chem. Soc., Faraday Trans. II* 73, 1425 (1977).
10. G. C. Papavassiliou and T. Theophanides "Resonance Raman Spectra of Platinum Ethylenediamine Complexes". *Raman Newsletter* 104, 140 (1977), and *J. Raman Spectrosc.* 7, 230 (1978).
11. G. C. Papavassiliou "Light Scattering and Absorption Spectra of Small K^+TCNQ^- Particles", *J. Chem. Soc., Faraday Trans. II* 74, 1446 (1978).
12. G. C. Papavassiliou and Th. Theophanides "Resonance Raman Spectra of Suspensions" *Raman Newsletter* 116, 1 (1978); G. C. Papavassiliou "Optical Absorption Spectra of Small $Pt(dapn)_2Pt(dapn)_2Br_2(ClO_4)_4$ Particles", *J. Phys. C: Sol. State Phys.*, 12, L297 (1979).
13. C. E. Parascevaides, G. Papatriantafillou, and G. C. Papavassiliou "Interpretation of the Infrared and Resonance Raman Spectra of Linear Mixed Valence Compounds",

Proc. Int. Conf. Quasi-One-Dimensional Conductors, (Dubrovnik, 1978), Lecture Notes in Physics Springer - Verlag, 96, (II) 224 (1979).

14. C. E. Parascevaides, C. Papatriantafillou, and G. C. Papavassiliou, "Study of the Lattice Modes of Linear Mixed Valence Compounds", Chem. Phys., 37, 389 (1979).
15. G. C. Papavassiliou, T. Theophanides and R. Rapsomanikis, "Resonance Raman Spectra of a Single Crystal Linear Chain Platinum Compounds", J. Raman Spectrosc. 8, 227 (1979).
16. G. C. Papavassiliou, Th. Theophanides "Resonance Raman Spectra and Structure of Partially Oxidized Magnus' Salt", Z. Naturforschung, 34b, 986 (1979).
17. G. C. Papavassiliou, "Optical Properties of Small Inorganic and Organic Metal Particles", (A REVIEW ARTICLE). Progress in Solid State Chemistry, 12, 185 (1979).
18. G. C. Papavassiliou, A. Zdetsis, "Optical Properties of $M(L-L)_2M(L-L)_2X_2-(ClO_4)_4$: Bulk and Small Particles", J. Chem. Soc., Faraday Trans. II, 76, 104 (1980).
19. G. C. Papavassiliou, D. Layek, and T. Theophanides "Polarized Raman and Resonance Raman Spectra of compounds $M(en)_2M(en)_2X_2(ClO_4)_4$ " (where M=Pt or Pd, en 1,2-diaminoethane and X=Cl, Br or I). J. Raman Spectrosc., 9, 69 (1980).
20. D. Layek and G. C. Papavassiliou "Some New One-Dimensional Compounds: Preparation and Optical Properties", Z. Naturforsch. 35b, 112, (1980).
21. G. C. Papavassiliou, D. Layek and T. Theophanides "Resonance Raman Spectra of Single Crystals of Mixed-Valence Linear Chain Complexes of Platinum", Can. J. Spectrosc. 25, 151 (1980); Also 63rd Can. Chem. Soc. Conf. and Exhibition Ottawa, June 8-11, 1980, p.100.

22. C. A. L. Becker and G. C. Papavassiliou, "Structure of Mono-and Di-Substituted Pentakis (Arylisocyanide) Cobalt (I) Complexes", unpublished. Preliminary results have been presented in the San Francisco Meeting of the Am. Chem. Soc. (1980).
23. G. C. Papavassiliou and D. Layek, "Electronic and Resonance Raman Spectra of Some New Mixed-Valence Compounds of Pt and Pd with a Metal-Halide Chain", *Z. Naturforsch.*, 35b, 676 (1980).
24. G. C. Papavassiliou and C. S. Jacobsen, "Electronic Spectra and Resonance Raman Excitation Profiles in $M(L-L)_2M(L-L)_2X_2(ClO_4)_4$ ", *J. Chem. Soc., Faraday Trans. II*, 77, 191 (1981); preliminary results: G. C. Papavassiliou, Proc. 7th Int. Conf. on Raman Spectroscopy, Ottawa, Canada 1980, p.100.
25. G. C. Papavassiliou, "The Tetrabutylammonium Salt of 2-Thioxo-1,3, -dithiol-4,5-dithiolate as a Starting Material for Preparation Organometallic Conductors, *Z. Naturforsch.*, 36b, 1200 (1981).
26. G. C. Papavassiliou and D. Layek, "Partially Oxydized Products of Magnus Green Salt and Similar Conducting Solids", *Z. Naturforsch.*, 36b, 1671 (1981).
27. G. C. Papavassiliou, R. Rapsomanikis, S. Mourikis and C. S. Jacobsen, "Weak Peaks in the Electronic Spectra of Mixed Valence Compounds with a Metal-Halide Chain", *J. Chem. Soc., Faraday II* 78, 17 (1982). Preliminary results have been presented in the "Int. Conf. of Low Dimensional Synthetic Metals" Helsingör, Denmark 1980 (see *Chem. Scripta*, 17, 196 (1981)).
28. G. C. Papavassiliou, "Luminescence Spectra and Raman Excitation Profiles in Small CdS particles", *J. Solid St. Chem.* 40, 330 (1981).

29. D. Layek and G. C. Papavassiliou, "Some New 1-D-Compounds with a Metal-Halide Chain", *Z. Naturforsch* 36b, 83 (1981); *Mol. Cryst. Liq. Cryst.*, 86, 331 (1982).
30. G. C. Papavassiliou, "Luminescence Spectra and Raman Excitation Profiles in Small CdS Particles", *J. Mol. Structure* 79, 395 (1982).
31. G. C. Papavassiliou, "Preparation and Properties of Some New 1-D Solids", *Molecular Crystals and Liquid Crystals*, 86, 159 (1982).
32. G. C. Papavassiliou, "Some New Conducting Solids: Cation-Deficient Metal Dimercaptodithiolenes and Selenium Analogs", *Z. Naturforsch* 37b, 825 (1982).
33. G. C. Papavassiliou and D. Layek, "Resonance Raman and Electronic Spectra of Mixed Valence Compounds with Ni(II)- -X-Ni(IV) and Ni(ii)- -X-Pt(IV) Chains (X=Cl, Br), *Z. Naturforsch.* 37b, 1406 (1982).
34. G. C. Papavassiliou, "Some New Conducting Complexes of Nickel", *J. Physique* B3, 1257 (1983).
35. G. C. Papavassiliou, A. M. Cotsilios and C. S. Jacobsen, "Spectroscopic Investigation of Metal-Dimercaptodithiolenes and Selenium Analogs", *J. Mol. Struct.* 115, 41 (1984).
36. G. C. Papavassiliou and C. S. Jacobsen, "Electronic and Vibrational Spectra of Mixed Valence Complexes with a Metal-Halide Chain", *J. Mol. Struct.*, 115, 37 (1984).
37. G. C. Papavassiliou, "Preparation and Characterization of some New π -Donors: 3,4,5-tris (alkylthio) -1,2-dithiolium Iodides, Tetrakis (alkylthio)-1,1',2,2'-tetrathiafulvalenes, and Similar Compounds", *Chem. Scripta* 25, 167 (1985).

38. G. C. Papavassiliou, S. Y. Yannopoulos and J. S. Zambounis, "Bis(diazino) tetrathiafulvalenes and Similar π -Donors", *Mol. Cryst. Liq. Cryst.* 120, 333 (1985).
39. G. C. Papavassiliou, E. I. Kamitsos and J. S. Zambounis, "Some New Conducting Solids", *Mol. Cryst. Liq. Cryst.* 120, 315 (1985).
40. E. I. Kamitsos, G. C. Papavassiliou, and M. A. Karakassides, "Electronic Spectra of AgTCNQ and CuTCNQ Charge-Transfer Compounds", *Mol. Cryst. Liq. Cryst.*, 134, 43 (1986).
41. G. C. Papavassiliou, J. S. Zambounis, A. E. Underhill, B. Kaye and H. P. Geserich, "Electrical Properties of 3,4,5-tris (alkylthio)-1,2-dithiolium Charge Transfer Complexes", *Mol. Cryst. Liq. Cryst.* 134, 53 (1986).
42. G. C. Papavassiliou, J. S. Zambounis, and G. A. Mousdis, "Some New Metal-1,2-Dithiolene Complexes", *Abstracts of 24th Int. Conf. on Coord. Chemistry*, (Athens, 1986), p. 246.
43. A. E. Underhill, B. Kaye, G. C. Papavassiliou and S. Y. Yiannopoulos, "Three-Dimensional Conducting Solids: (BPTTF)₂BF₄, (BPTTF)₂(ReO₄)₂, (BPTTF)ClO₄, [where BPTTF-bis (pyrazino) tetrathiafulvalene] and Similar Compounds" *Mol. Cryst. Liq. Cryst.* 134, 59 (1986).
44. G. C. Papavassiliou, H. P. Geserich, S. Y. Yiannopoulos and J. S. Zambounis, "Optical Properties of Bis(pyrazino) - tetrathiafulvalene salts", *J. Mol. Structure*, 143, 215 (1986).
45. G. C. Papavassiliou, "Bis[4,5-b]pyridino-1,1',3,3'-tetrathiafulvalene: Synthesis and Charge Transfer Complexes", *Chim. Chron. (New Series)*, 15, 161 (1986).

45. A. Terzis, A. Hountas and G. C. Papavassiliou, "Structures of Conducting Salts of Bis(pyrazinio)tetrathiafulvalene(PBTTF)₂BF₄ and (BPTTF)₂PF₆", *Acta Crystallogr. C* **42**, 1584 (1986).
46. G. C. Papavassiliou, S. Y. Yiannopoulos, and J. S. Zambounis, "Pyrazinoethylenedithiotetrathiafulvalene: A New Unsymmetrical π -Donor", *J. Chem. Soc., Chem. Commun.* 820, (1986).
47. G. C. Papavassiliou, S. Y. Yiannopoulos, and J. S. Zambounis, "Nitrogen-Containing Tetrathiafulvalenes and a Few of Their Charge Transfer Complexes", *Physica* **143B**, 310 (1986).
48. G. C. Papavassiliou, J. S. Zambounis and S. Y. Yiannopoulos, "Multi-Sulfur π -Donors and π -Acceptors and a Few of Their Charge Transfer Complexes", *Physica* **143B**, 307 (1986).
49. G. C. Papavassiliou, S. Y. Yiannopoulos, and J. S. Zambounis, "Bis(Pyrazino)tetrathiafulvalene and Similar π -Donors", *Chem. Scripta*, **27**, 265 (1987).
50. G. C. Papavassiliou, J. S. Zambounis, and S. Y. Yiannopoulos, "Some New π -Donors: Bis(propylenedithio)tetrathiafulvalene, 4,5-Bis(alkylthio)-1,2-dithiolium tetrafluoroborates and Similar Compounds", *Chem. Scripta*, **27**, 261 (1987).
51. G. C. Papavassiliou, A. Terzis, A. E. Underhill, H. P. Geserich, B. Kaye, A. Hountas and S. Y. Yiannopoulos, "Crystal Structure, Electrical and Optical Properties of (BPTTF)_mX_n(X=BF₄,I₃) and Similar Salts", *Synthetic Metals*, **19**, 703 (1987).
52. H. J. Keller, G. C. Papavassiliou et al, "New Highly Conducting Systems", in "Organic and Inorganic Low-Dimensional Crystalline Materials", Edited by P. Delhaes and M. Drillon, Plenum (1987), p. 457.

53. A. Terzis, E. I. Kamitsos, V. Phycharis, J. S. Zambounis, J. Swiatek, and G. C. Papavassiliou, "Crystal Structures and Spectroscopic and Electrical Properties of Alkylthio-1,2-dithiolium-TCNQ Charge Transfer Complexes", *Synthetic Metals*, 19, 481 (1987).
54. G. C. Papavassiliou, S. Y. Yiannopoulos, J. S. Zambounis, K. Kobayashi, and K. Umemoto, "Synthesis of Pyrazinodithiadiselenafulvalenes. New Unsymmetrical π -Donors", *Chem.Lett.*, 1279 (1987).
55. G.C. Papavassiliou, G.A. Mousdis, V. Gionis, J. S. Zambounis and S. Y. Yiannopoulos, "Disodium 5-Cyanoisothiazoledithiolate as a Starting Material for Preparation of New Conductive Solids", *Z. Naturforsch.* 42b, 1050 (1987).
56. G. C. Papavassiliou, A. E. Underhill, B. Kaye, H. P. Geserich, A. Terzis and S. Y. Yiannopoulos, "Electrical and Optical Properties of α -(PEDTTTF)₂BF₄ and α -(PEDTTTF)₂IBr₂", *Material Science*, 13, 185 (1987).
57. G. C. Papavassiliou, S. Y. Yiannopoulos and J. S. Zambounis, "Pyrazinotetraheterofulvalenes and a Few of Their Salts", in "Organic and Inorganic Low Dimensional Crystalline Materials", Ed. P. Delhaes, Plenum, 168, 305 (1987).
58. G. C. Papavassiliou, G. Z. Mousdis, J. S. Zambounis and S. Y. Yiannopoulos, "Conducting Solids Based on Some New Molecules with Isothiazolo-Rings", in *Organic and Inorganic Low Dimensional Crystalline Materials*, Ed. P. Delhaes, Plenum, 168, 301 (1987).
59. V. Psycharis, A. Hountas, A. Terzis and G. C. Papavassiliou, "Structures of Conducting Salts of Pyrazinoethylenedithiotetrathiafulvalene (PEDTTF) and Dimethyl-pyrazonoethylenedithiotetrathiafulvalene (DMPEDTTF): α -(PEDTTTF)₃I₃ and α -(DMPEDTTTF)₃I₃". *Acta Crystallogr.C*.44, 125 (1988).

60. A. Terzis, V. Psycharis, A. Hountas and G. C. Papavassiliou, "The Effect of Donor Modifications and Anion Size on the Structures of ET-based organic conducting Salts. Structures of the Conducting Salts of Pyrazinoethylene-dithio-tetrathiafulvalene (PEDTTTF) and [4,5-b] pyridinoethylenedithiotetrathia-fulvalene ([4,5-b] PEDTTTF): α -(PEDTTTF)₂IBr₂ and α -([4,5-b]PEDTTTF)₂IBr₂, Acta Crystallogr., C 44, 128 (1988).
61. K. Kikuchi, H. Kamio, K. Saito, G. C. Papavassiliou, K. Kobayashi, I. Ikemoto and S. Y. Yiannopoulos, "New Series of Organic Metals; Radical Salts of Unsymmetrical Donors Containing Pyrazino-Group", Bull. Chem. Soc. Jpn., 61, 741 (1988).
62. G. C. Papavassiliou, V. Gionis, S. Y. Yiannopoulos, J. S. Zambounis, G. A. Mousdis, K. Kobayashi and K. Umemoto, "Some Nitrogen-Containing Tetraheterofulvalenes and a Few of Their Conductive Salts", Mol. Cryst. Liq. Cryst., 156, 277 (1988).
63. G. C. Papavassiliou, J. S. Zambounis, G. A. Mousdis, V. Gionis, and S. Y. Yiannopoulos, "Bis(alkylthio) tetrathiafulvalenes and a Few of Their Salts", Mol. Cryst. Liq. Cryst., 156, 269 (1988).
64. J. S. Zambounis, E. I. Kamitsos, A. Terzis and G. C. Papavassiliou, "Resonance Raman Studies in the Organic Conductors α - and β -(PEDT-TTF)₃I₃ and β -(DMPEDT-TTF)₃I₃", J. Mol. Structure, 174, 189 (1988).
65. A. Terzis, A. Hountas, and G. C. Papavassiliou, "Synthesis and Structure of Black (EDTTTF)₂IBr₂: A Structural Analogue of β -(BEDTTTF)₂X Organic Superconductors", Sol. St. Commun., 66, 1161 (1988).
66. J. S. Zambounis, E. I. Kamitsos, M. A. Karakassides and G. C. Papavassiliou, "A Raman Study of Trihalide- Containing Organic Conductors", Proc. XIth Int. Conf. Raman Spectrosc. (London 5-9 Sept. 1988), p. 425.

67. G. C. Papavassiliou, G. A. Mousdis, S. Y. Yiannopoulos and J. S. Zambounis, "Preparation and Characterization of some 4,5-Methylenedithio-4',5'-bis(alkylthio)tetrathiafulvalenes, Chem. Scripta, 28, 365 (1988).
68. G. C. Papavassiliou, G. A. Mousdis, S. Y. Yiannopoulos, V. C. Kakoussis and J. S. Zambounis, "Conducting Solids Based on Some New Unsymmetrical Tetraheterofulvalenes", Synth.Metals, 27, B373 (1988).
69. A. Terzis, A. Hountas, A. E. Underhill, A. Clark, B. Kaye, S. Y. Yiannopoulos, G. Mousdis and G. C. Papavassiliou, "Structure and Electrical Properties of Some Cation Radical Salts Based on EDTTTF, PEDTTTF, PETDTSDTF, and Similar π -Donors", Synth. Metals, 27, B97 (1988).
70. G. C. Papavassiliou, G. A. Mousdis, J. S. Zambounis, A. Terzis, A. Hountas, B. Hilti, C. W. Mayer and J. Pfeiffer, "Low Temperature Measurements of the Electrical Conductivity of Some Charge Transfer Salts with Asymmetric Donors MDT-TTF, EDT-TTF and EDT-DSDTF: (MDT-TTF)₂AuI₂, a New Superconductor (T_c=3.5 K at Ambient Pressure)", Synth.Metals, 27, B379 (1988).
71. H. Kobayashi, A. Kobayashi, A. Terzis and G. C. Papavassiliou, "Structure of the Conducting Salts of Pyrazinoethylenedithio-tetrathiafulvalene (PEDTTTF)- α -(PEDTTTF)₂IBr₂ at 98 K, Acta Crystall., C45, 683 (1989).
72. G. C. Papavassiliou, V. C. Kakoussis, G. A. Mousdis, J. S. Zambounis, and C. W. Mayer, "4,5-Bis(Methylthio)-4',5'-bis (alkylthio)tetrathiafulvalenes", Chem. Scripta, 29, 71 (1989).
73. G. C. Papavassiliou, V. C. Kakoussis, J. S. Zambounis and G. A. Mousdis, "Methylenediselenotetrathiafulvalene and Similar Unsymmetrical π -Donors", Chem. Scripta, 29, 123 (1989).

73. A. Hountas, A. Terzis, G. C. Papavassiliou, B. Hilti and J. Pfeiffer, "Structures of the Conducting Salts of Ethylenedithiotetrathiafulvalene (EDTTTF) and Methylenedithio-tetrathiafulvalene (MDTTTF): (EDTTTF)₁-I₃ and (MDTTTF)₁I₃, Acta Cryst., C46, 220 (1990).
74. A. Terzis, A. Hountas, G. C. Papavassiliou, B. Hilti and J. Pfeiffer, "Structures and Conductivities of the Synthetic Metal Salts of Ethylenedithiotetrathia-fulvalene (EDTTTF) and Ethylenedithiodiselenadithiafulvalene (EDTSDTF): 211-(EDTTTF)₂IBr₂, 212-(EDTTTF)₂AuBr₂ and 211-(EDTSDTF)₂IBr₂, Acta Cryst., C46, 224 (1990).
75. A. Hountas, A. Terzis, G. C. Papavassiliou, B. Hilti, M. Burkle, C. W. Mayer and J. S. Zambounis, "Structures of the New Superconductor (MDTTF)₂AuI₂ (T_c=4.5 K) and the Organic Metal (EDTTTF)₂AuI₂. MDTTF is Methylenedithiotetrathiafulvalene and EDTTTF is Ethylenedithiotetrathiafulvalene", Acta Cryst., C46, 228 (1990).
76. G. A. Mousdis, V. C. Kakoussis and G. C. Papavassiliou, "New Conducting Solids Based on Some Symmetrical and Unsymmetrical π -Donors", in Proc. NATO-ASI on Low Dim. Systems and Mol. Electronics", Spetses 12-23 June, 1989, Eds. R. Metzger et al, Plenum, B 248, 181 (1990).
77. G. C. Papavassiliou, "Design and Synthesis of Polyheterotetraheterafulvalenes, Metal 1,2-diheterolenes and their Low-Dimensional Conducting and Super- Conducting Salts", (PLENARY PAPER), in proc. NATO ASI on Low-Dim. Systems and Mol. Electronics", Spetses, 12-23 June, 1989, Ed. R. Metzger et al, Plenum, B 248, 143 (1990).
78. G. C. Papavassiliou, "New Tetraheterafulvalenes, Metal 1,2-Diheterolenes and Some of Their Products", (INVITED PAPER). Proc. 6th Int. Symp. Nov. Atom.

Compounds, Osaka 20-25 Aug. 1989, Ed. H. Imamura; Pure Appl. Chem., 62, 483 (1990).

79. G. C. Papavassiliou, G. Mousdis, V. Kakoussis, A. Terzis, A. Hountas, B. Hilti, C. W. Mayer, J. S. Zambounis, M. Freund, J. L. Olseu and J. Pfeiffer, "Conducting and Superconducting Salts Based on MDTTTF, EDTTF, VDTTTF, EDTSDTF, MDSTTF, BMDTTTF, Pd(dmit)₂ and Ni(dcit)₂" (INVITED PAPER) in Proc. of "1st Int. Symp. Org. Superconductors on Physics and Chemistry of Org. Superconductors", Tokyo, 28-30 Aug. 1989, Ed. G. Saito, S. Kagoshima, Springer-Verlag, 51, 247 (1990).
80. G. C. Papavassiliou, V. C. Kakoussis, D. J. Lagouvardos, and G. A. Mousdis, "Transition Metal 1,2-Diheterolenes and Polyheterotetraheterafulvalenes: Precursors of Conducting Solids" (INVITED PAPER) in Proc. Int. Symp. on New Dev. in Chem. and Prop. of Low-D. Conductig Solids (Pacifichem'89), Honolulu, Dec. 1989; Mol. Cryst.Liq. Cryst., 181, 171 (1990).
81. G.C. Papavassiliou, D.J. Lagouvardos, V. C. Kakkoussis and G. A. Mousdis, "Ethylenedioxotetraithiafulvalenes: New Unsymmetrical π -Donors", Z. Naturforsch., 45b, 1216 (1990).
82. P. Delhaes, J. Amiell, S. Flandrois, L. Ducasse, A. Fritsh, B. Hilti, C. W. Mayer, J. Zambounis, and G. C. Papavassiliou, "Magnetic Properties of κ -(MDTTTF)₂AuI₂ salt in the Normal and Superconducting States", J. Physique, (France) 51, 1179 (1990).
83. G. C. Papavassiliou, D. Lagouvardos, V. Kakoussis, G. Mousdis, A. Terzis, A. Hountas, B. Hilti, C. Mayer, J. Zambounis, J. Pfeiffer and P. Delhaes, "Conducting and Superconducting Crystals Based on Some Unsymmetrical Donor Molecules", Proc. Int. Conf. Org. Superconductors", South Lake Tahoe, California, 20-24 May, 1990 Eds. V. Z. Kresin and W. A. Little, Plenum, p. 367 (1990).

84. G. C. Papavassiliou, "Optical and Related Properties of Metal-Halide Chain Compounds: Bulk and Small Particles", Proc. NATO-ASI Workshop on Mixed-Valences Systems, Crete, Greece, 10-16 June 1990, Ed. K. Prassides, Kluwer, C343, 395 (1991).
85. G. C. Papavassiliou, "Some Unsymmetrical Polyheterotetrafulvalenes and Their Conducting Salts", INVITED PAPER, Proc. Int. Conf. Synth. Metals, Tübingen, Sept. 2-7, 1990, Synth. Metals 42 (3), 2535 (1991).
86. W. Biberacher, H. Müller, C.-P. Heidmann, Ch. Probst, A. Lert, K. Andres, V. Kakoussis, G. C. Papavassiliou and H. U. Hummel, "Chemical and Physical Properties of Some EDTTTF-Salts", Synth. Metals, 42, 2374 (1991).
87. L. Ducasse, J. Amiell, P. Delhaes, G. Mousdis, G. C. Papavassiliou, and A. Terzis, "Electronic Structure and Physical Properties on Unsymmetrical TTF based Organic Salts", Synth. Metals, 42, 2483 (1991).
88. A. Terzis, A. Hountas, B. Hilti, G. Mayer, J. S. Zambounis, D. Lagouvardos, V. Kakoussis, G. Mousdis and G. C. Papavassiliou, "Crystal Structures and Properties of Some Cation Radical Salts Based on EDOEDTTTF, EDOMDTTTF, EDOVDTTTF, EDOBTFF, EDOBTTF, EDOPDSDTF, EDODMPTTF, BEDTTTF and BMDTTTF", Synth. Metals, 42(1-2), 1715 (1991).
89. V. Gionis, O. Kichet, M. Izumi, J. Amiell, C. Garrigon-Lagrange, G. C. Papavassiliou, P. Delhaes, "New Langmuir-Blodgett Films Based on Substituted 1,2-Dithiolium-TCNQ Radical Anion Salts", Chem. Lett. 871 (1991).
90. G. C. Papavassiliou, V. C. Kakoussis and D. J. Lagouvardos, "Preparation of Some Bis(alkylthio) - bis (alkylthio)-bis (alkylseleno) tetrathiafulvalenes", Z. Naturforsch. 46b (1991). p.1269.

91. G. C. Papavassiliou, D. J. Lagouvardos and V. C. Kakoussis, "5,6-Ethylenediseleno-1,3-dithiolo(4,5-b)-(1-4) dithin-2-thione as Starting Materials for the Preparation of New Tetrathiafulvalenes", *Z. Naturforsch.* 46b, 1730 (1991).
92. J.S. Zambounis, E. I. Kamitsos, A. P. Patsis and G.C. Papavassiliou, "Resonance Raman and Far-Infrared Studies of n-Bu₄NI₃ and n-Bu₄NBr₃", *J. Raman Spectrosc.*, 23, 81 (1992).
93. G.C. Papavassiliou, "Tetraheterafulvalenes and Precursors of Conducting Materials", *Mat. Res. Symp. Proc.* 247, 523 (1992).
94. G.C. Papavassiliou, D. J. Lagouvardos, V.C. Kakoussis, A. Terzis, A. Houtas, B. Hilti, C. Mayer, J. S. Zambounis, J. Pfeiffer, M.-H. Whangbo, J. Ren and D.B. Kang, "Conducting and Superconducting Salts Based on Some Symmetrical and Unsymmetrical Donors", *Mat. Res. Symp. Proc.* 247, 535 (1992).
95. D. J. Lagouvardos and G.C. Papavassiliou, "4,5-Ethylenedithio-1-selenole-3-thiole-2-one as Starting Materials for the Preparation of New Tetrachalcogenafulvalenes", *Z. Naturforsch.* 47b, 898 (1992).
96. G. C. Papavassiliou and V. M. Yartsev, "On the Modification of the Optical Properties of the TCNQ Ion-Radical Salts by Mechanical Grinding" *Chem.Phys.Lett.*, 200, 209 (1992).
97. J. S. Zambounis, E. I. Kamitsos, and G.C. Papavassiliou, "Resonance Raman Investigation of the State of Polyiodides in Organic Conductors (PEDT-DTDSF)₂I₃ and (PDM-TTF)₃I₃" *J. Raman Spectrosc.* 23, 721 (1992).
98. G. C. Papavassiliou, D.J. Lagouvardos, A. Terzis, A. Hountas, B. Hilti, J.S. Zambounis, C.W. Mayer, J. Pfeiffer, W. Hofherr, P. Delhaes, and J. Amiel,

- “Conducting and Superconducting Salts Based on Some Symmetrical and Unsymmetrical Tetrachalcogenafulvalenes” *Synth.Metals* 55- 57, 2174 (1993).
99. G. C. Papavassiliou, A. P. Patsis, D.J. Lagouvardos and I.B. Koutselas “Spectroscopic Studies of $(C_{10}H_{21}NH_3)_2PbI_4$, $(CH_3NH_3)PbI_3$, and Similar Compounds” *Synth. Metals* 55- 57, 3889 (1993).
100. G. C. Papavassiliou, J. B. Koutselas and D. J. Lagouvardos, “Preparation and Characterization of $(C_6H_5CH_2CH_2NH_3)_2SnI_4$ and $(C_6H_5CH_2CH_2NH_3)_2SnBr_4$ ” *Z. Naturforsch.* 48b, 1013 (1993).
101. G. C. Papavassiliou, D. J. Lagouvardos, A. Terzis, J. Amiell, C. Garrigou-Lagrange, P. Delhaes, B. Hilti and J. Pfeiffer, “Physical Properties in the Normal State of the Molecular Superconductor κ -(BEDT) $_2$ Cu $_2$ (CN) $_3$ ”, *Synth.Metals*, 61, 267 (1993).
102. G. C. Papavassiliou, I. B. Koutselas, D. J. Lagouvardos, J. Kapoutsis, A. Terzis and G. J. Papaioannou, “Optical and Related Properties of Some Natural Three and Lower Dimensional Semiconductor Systems”, *Mol. Cryst. Liq.Cryst.*, 253 103 (1994).
103. G. C. Papavassiliou, “Optical and Related Properties of Semiconductors: Bulk and Small Particles” (INVITED PAPER) in NATO-ASI on “Nanophase Materials: Synthesis-Properties-Applications, Corfu, Greece (1993); Eds. G. C. Hajipanayis, and W. Siegel, Kluwer, E260, 493 (1994).
104. N. Fortune, K. Murata, G. C. Papavassiliou, D. J. Lagouvardos and J. S. Zambounis “Influence of Anisotropic Scattering Along the 2D-Fermi Surface on Transport Properties in an Asymmetrical-Donor-Based Molecular crystal”, *Mater.Res.Soc.Proc.*, 328, 307 (1994).

105. G. C. Papavassiliou, I. B. Koutselas, A. Terzis and M.-H. Whangbo, "Structural and Electronic Properties of the Natural Quantum-Well system $(C_6H_5CH_2CH_2NH_3)_2SnI_4$ ", Sol. State Commun., 91 695 (1994).
106. G. C. Papavassiliou and I. B. Koutselas, "Excitonic Bands in the Absorption Spectra of A_3MX_6 and $A_3M_2X_9$ ($A=MeNH_3, Me_2NH_2, Me_3NH, Me_4N$; $M=Bi, Sb$; $X=Cl, Br, I$)", Z. Naturforsch. 49, 849 (1994).
107. J. S. Zambounis, B. Hilti, C. W. Mayer, A. P. Patsis, E. I. Kamitsos and G. C. Papavassiliou, "Resonance Raman and Infrared Studies of the Organic Superconductor κ -(MDT-TTF) $_2$ AuI $_2$ at the Normal State", J. Raman Spectrosc. 26, 9 (1995).
108. G.C. Papavassiliou and I.B. Koutselas "Structural Optical and Related Properties of Some Natural Three- and Lower-dimensional Semiconductors Systems" Synth. Metals, 71, 1713 (1995).
109. G.C. Papavassiliou, D.J. Lagouvardos, A. Terzis, C. P. Raptopoulou, B. Hilti, W. Hotherr, J.S. Zambounis, G. Rihs, J. Pfeiffer, P. Delhaes, K. Murata, N. A. Fortune and N. Shirakawa, "Conducting and Superconducting Salts Based on Some Unsymmetrical Tetrachalcogenafulvalenes", Synth. Metals 70, 787 (1995).
110. G.C. Papavassiliou, I.B. Koutselas, A. Terzis and C.P. Raptopoulou, "Some Natural Three- and Lower-Dimensional Semiconductor Systems with Metal-Halide Units" Mat.Res.Soc. Symp. Proc. 358, 283 (1995).
111. J.S. Zambounis, J. Pfeiffer, G. C. Papavassliou, D. J. Labouvardos, A. Terzis, C. P. Raptopoulou, P. Delhaes, L. Ducasse and K. Murata, "Structural and Physical Properties of τ -(P-(S, S)- DMEDT-TTF) $_2$ (AuBr $_2$) $_1$ (AuBr $_2$) $_0.75$ ", Sol.State Commun., 95, 211 (1995).

- 112.G. C. Papavassiliou, I. B. Koutselas, A. Terzis and C.P. Raptopoulou, "Preparation and Characterization of $(C_6H_5CH_2CH_2NH_3)_4 BiI_7 \cdot H_2O$, $(C_6H_5CH_2CH_2NH_3)_3 BiBr_6$ and $(C_6H_5CH_2CH_2NH_3)_3 BiCl_6$ ", Z. Naturforsch. 50b, 1566 (1995).
- 113.I. B. Koutselas, L. Ducasse and G.C. Papavassiliou, "Electronic Properties of Three- and Low-Dimensional Semiconducting Materials with Pb-Halide and Sn-Halide Units", J. Physics: Condens. Matt. 8, 1217 (1996).
- 114.G. C. Papavassiliou, "Synthetic Three-and Lower Dimensional Semiconductors Based on Inorganic Units", (PLENARY, INVITED PAPER), Mol. Cryst. Liq. Cryst. 286, 231 (1996).
- 115.G. C. Papavassiliou, D. J. Lagouvardos, J. S. Zambounis, A. Terzis, I. P. Raptopoulou, K. Murata, N. Shirakawa, L. Ducasse and P. Delhaes, "Structural and Physical properties of τ -(EDO-S, S-DMEDT-TTF) $_2$ (AuBr $_2$) $_1$ (AuBr $_2$) $_y$ " Mol. Cryst. Liq. Cryst. 285, 83 (1996).
- 116.I. Olejniczak, W. Pukacki, and G.C. Papavassiliou "Spectral and Electrical Properties of the Organic Metal τ -(EDO-S, S-DMEDT-TTF) $_2$ (AuBr $_2$) (AuBr $_2$) $_{0,75}$ ", Adv. Mater. Optics and Electronics 6, 288 (1996).
- 117.G.C. Papavassiliou, D.J. Lagouvardos, I. Koutselas, K. Murata, A. Graja, I. Olejniczak, J.S. Zambounis, L. Ducasse and J.P. Ulmet, "Structural and Physical Properties of τ -(P-S, S-DMEDT-TTF) $_2$ (AuBr $_2$)(AuBr $_2$) $_{0,75}$ and τ -(EDO-S, S-DMEDT-TTF) $_2$ (AuBr $_2$)(AuBr $_2$) $_{0,75}$, 2D Conductors", Synth. Metals, 86, 2043 (1997).

- 118.I. B. Koutselas, D.B. Mitzi, G.C. Papavassiliou, G. J. Papaioannou and H. Krautscheid “Optical and Related Properties of Natural One-dimensional Semiconductors Based on PbI and SnI Units” *Synth. Metals*, 86, 2171 (1997).
- 119.K. Murata, N. Shirakawa, H. Yoshino, Y. Tsubaki, G.C. Papavassiliou, A. Terzis and J. Zambounis, “A New Electronic State in the Variably Doped Two-dimensional Charge Transfer Salts, τ -(EDO-*S*, *S*-DMEDT-TTF)₂(I₃)₁(I₃)_y and τ -(EDO-*S*, *S*-DMEDT-TTTF)₂(AuBr₂)₁(AuBr₂)_y with $y \approx 0.75$ ”, *Synth. Metals* 86, 2021 (1997).
- 120.G. C. Papavassiliou, A. Terzis and P. Delhaes “Tetrachalcogenafulvalenes, Metal 1,2-dichalcogenolenes and Their Conducting Salts” (INVITED REVIEW ARTICLE) in “Organic Conducting Molecules and Polymers” John Wiley and Sons (1997) vol.1 pp 151-227.
- 121.G.C. Papavassiliou, “Three- and Low-Dimensional Inorganic Semiconductors” (INVITED REVIEW ARTICLE), *Progr.Sol.State Chem.*, 25, 125-270 (1997).
- 122.K. Murata, H. Yoshinori, Y. Tsukabi, and G.D. Papavassiliou, “Hysteretic Magnetic State in the Organic τ -phase Conductors”, *Synth.Metals*, 94, 69 (1998).
- 123.G.C. Papavassiliou, G. Mousdis, I. Koutselas, C.P. Raptopoulou, A. Terzis, M.G. Kanatzidis and A. Axtell III, “Synthetic Low-Dimensional Semiconductors Based on Inorganic Units” *Adv. Mater. Opt. Electron.*, 8 263 (1998).
- 124.G.A. Mousdis, V. Gionis, G. C. Papavassiliou, C. P. Raptopoulou and A. Terzis, “Preparation, Structure and Optical Properties of [CH₃SC(=NH₂)NH₂]₃PbI₅, [CH₃SC(=NH₂)NH₂]₄Pb₂Br₈, and [CH₃SC(=NH₂)NH₂]₃PbCl₅.CH₃SC(=NH₂)CH₂Cl”, *J.Mater.Chem.*, 8, 2259 (1998).

125. G.A. Mousdis, G. C. Papavassiliou, A. Terzis, and C. P. Raptopoulou, "Preparation, Structures and Optical Properties of $[\text{H}_3\text{N}(\text{CH}_2)_6\text{NH}_3]\text{BiX}_5$ ($\text{X}=\text{I},\text{Cl}$) and $[\text{H}_3\text{N}(\text{CH}_2)_6\text{NH}_3]\text{SbX}_5$ ($\text{X}=\text{I},\text{Br}$)". *Z. Naturforsch.* 53b,927 (1998).
126. G. C. Papavassiliou, G.A. Mousdis, I.B.Koutselas, M. G. Kanatzidis, E. A. Axtell III, and M.-H. Whangbo "Optical and Related Properties of Some Synthetic Low-Dimensional Semiconductors Based on Metal Sulfid Units", *Proc. 3rd Int. Conf. Excitonic Processes in Cond. Matter.* Edited by R.T. Williams and W.M. Yen, The Electrochem. Society, Inc., N.J. Vol. 98-25, p. 343 (1998).
127. G. C. Papavassiliou, G. A. Mousdis, A. Terzis, and C. P. Raptopoulou, "Excitonic Bands in the Optical Absorption Spectra of $(\text{Bu}_4\text{N})\text{CuBr}_2(\text{Et}_4\text{N})_2\text{Cu}_2\text{Br}_4$, $(\text{Pr}_4\text{N})_2\text{Cu}_4\text{Br}_6$, $(\text{Bu}_4\text{N})_2\text{Cu}_2\text{I}_4$, $(\text{Me}_4\text{N})\text{Cu}_2\text{I}_3$, $(\text{Pr}_4\text{N})_4\text{Ag}_4\text{I}_8$, $(\text{Me}_4\text{N})\text{Ag}_2\text{I}_3$, $(\text{Et}_4\text{N})\text{Ag}_2\text{Br}_3$ and Similar Compounds", *Z. Naturforsch.* 54b,109 (1999).
128. H. Yoshino, K. Murata, T. Sasaki, K. Iimura, A. Oda, and G. C. Papavassiliou "Magnetic Nature of $r\text{-(EDO-S,S-DMET-TTF)}_2(\text{AuBr}_2)_1(\text{AuBr}_2)_y$ ($y \sim 0.75$)", *Synth. Metals*, 103, 2010 (1999).
129. G. C. Papavassiliou, K. Murata, J.P.Ulmet, A. Terzis, G. A. Mousdis, H. Yoshino, A. Oda, D. Vignolles, and C. P. Raptopoulou, "Organic Conductors of τ -Phase", (INVITED PAPER) *Synth. Metals*, 103, 1921 (1999).
130. K. H. Lee, S. S. Park, H. M. Eun, J. Y. Lee, C.K. Chao, C. H. Lee and G. C. Papavassiliou, "Hypothetical Buckminsterfullerene-dithio-tetrathiafulvalene", *Synth. Metals*, 103, 2432 (1999).
131. G. C. Papavassiliou, G. A. Mousdis, I. B. Koutselas, G. Pistolis, M. G. Kanatzidis and E. A. Axtel III, "Optical and Related Properties of Some Synthetic Low-

Dimensional Semiconductors Based on Inorganic Units”, *Synth. Metals*, 103, 2689 (1999).

132.H. Yoshino, K. Iimura, T. Sasaki, A. Oda, G. C. Papavassiliou and K. Murata “Symmetry Change in the Angular Dependence of Magnetoresistance of the Two-Dimensional Organic Conductor τ -(EDO-*S,S*-DMEDT-TTF)₂(AuBr₂)_y (y \sim 0.75)”, *J. Phys. Soc. Jpn.*, 68, 177 (1999).

133.H. Yoshino, K. Murata, T. Kanoike, T. Sasaki and G. C. Papavassiliou, “Field-induced Symmetry Change in the Magnetoresistance of Two-Dimensional τ -Type Organic Conductors”, *Proc. 4th Int. Symp. Adv. Phys. Fields: Quantum Phenom. Adv. Mat. Of High Magn. Fields* p.291 (1999).

134.G. C. Papavassiliou, G. A. Mousdis, C. P. Raptopoulou, and A. Terzis, “Preparation and Characterization of [C₆H₅CH₂NH₃]₂PbI₄, [C₆H₅CH₂CH₂SC(NH₂)₂]₃PbI₅ and C₁₀H₇CH₂NH₃]PbI₃ Organic-Inorganic Hybrid Compounds”, *Z. Naturforsch.* 54b, 1405(1999).

135.G. C. Papavassiliou, G. A. Mousdis, and I. B. Koutselas, “Some New Organic-Inorganic Hybrid Semiconductors Based on Metal-Halide Units: Structural, Optical and Related Properties”, *Adv. Mater. Opt. Electronics*, 9, 265 (1999).

136.G. A. Mousdis, G. C. Papavassiliou, C. P. Raptopoulou and A. Terzis, “Preparation and Characterization of [H₃N(CH₂)₆NH₃]PbI₄ and Similar Compounds with Layered Perovskite Structure”, *J. Mater. Chem.* 10, 515 (2000).

137.I. Olejniczak, J. L. Musfeldt, G. C. Papavassiliou and G. A. Mousdis, “Optical Investigation of τ -Phase Organic Molecular Conductor: τ -(EDO-(*S-S'*)-DMEDT-TTF)₂AuBr₂(AuBr₂)_y with y \approx 0.75”, *Phys. Rev. B*, 62, 15634 (2000).

138. G. C. Papavassiliou, I. B. Koutselas, G. A. Mousdis, J. A. Kapoutsis, M. G. Kanatzidis, and E. A. Axtell III, "Optical and Related Properties of the Synthetic Quasi-Two-Dimensional Semiconductors $K_2Cd_3S_4$, $Rb_2Cd_3S_4$ and $Cs_2Cd_3S_4$ ", in "Optical Properties of Semiconductor Nanostructures", M.L. Sadowski et al. (Eds.) Kluwer Acad.Publ., p.p. 97-100, Netherlands (2000).
139. G. C. Papavassiliou, G. A. Mousdis and A. Papadima, "Alternative Method for the preparation of 4,5-Ethylene dithio-1,3-dithiole-2-thione and related Compounds", Z. Naturforsch. 55b, 231 (2000).
140. G. C. Papavassiliou, G. A. Mousdis, C. P. Raptopoulou and A. Terzis "Some New Luminescent Compounds Based on 4-Methylbenzylamine and Lead Halides", Z. Naturforsch., 55b, 536 (2000).
141. G. C. Papavassiliou, G. A. Mousdis and I. B. Koutselas, "Excitonic Bands in the Photoconductivity Spectra of Some Organic-Inorganic Hybrid Compounds Based on Metal-Halide Units", (INVITED PAPER), Int. J. Modern Phys. B 15, 3727 (2001).
142. G. C. Papavassiliou, G. A. Mousdis, and I.B. Koutselas, "Excitonic Bands in the Spectra of Some Organic-Inorganic Hybrid Compounds Based on Metal Halide Units", Chem. Monthly, 132, 113 (2001).
143. T. Goto, N. Ohshima, G. A. Mousdis and C. G. Papavassiliou "Excitons in Single Crystals of the Two-Dimensional Semiconductor $H_3N(CH_2)_6NH_3PbI_4$ ", Solid St. Commun. 117, 13 (2001).
144. G. C. Papavassiliou, G. A. Mousdis, and I.B. Koutselas "Some Organic-Inorganic Hybrid Compounds Based on iso-Thiuronium Cations and Metal Halide Anions", Z. Naturforsch., 56b, 57 (2001).

145. T. Konoike, A. Oda, K. Iwashita, T. Yamamoto, H. Tajima, H. Yoshino, K. Ueda, T. Sugimoto, K. Hiraki, T. Takahashi, T. Sasaki, Y. Nishio, K. Kajita, G. C. Papavassiliou, G. A. Mousdis and K. Murata, "Low Temperature Electric Nature of τ -Phase Conductors", *Synth. Metals*, 120, 801 (2001).
146. G. C. Papavassiliou, G. A. Mousdis, A. Terzis, C. Raptopoulou, K. Murata, T. Konoike, and Y. Yoshino, "Preparation, Structure and Physical Properties of Some New Organic Conductors of τ -Phase", *Synth. Metals*, 120, 743 (2001).
147. G. C. Papavassiliou, G. A. Mousdis and I. B. Koutselas, "Excitonic Bands in the Spectra of Some Organic – Inorganic Hybrid Compounds Based on Metal Halide Units", *Synth. Metals*, 121, 1339 (2001).
148. K. Storr, L. Balicas, J. S. Brooks, D. Graf and G. C. Papavassiliou, "Magnetic Field-Dependent Interplay Between Incoherent and Fermi Liquid Transport Mechanism in Low-Dimensional τ -Phase Organic Conductors", *Phys. Rev. B*, 64, 045107 (2001).
149. G. C. Papavassiliou, G. A. Mousdis, and I. B. Koutselas, "Preparation and Characterization of 4-[4-Dimethylamino)styryl]-methylpyridinium Lead Triiodide and Tribromide Analog", *Z. Naturforsch.* 56b, 213 (2001).
150. G. C. Papavassiliou, A. Terzis and C. P. Raptopoulou, "Pyrazino-methyl-ethylenedithio-tetrathiafulvalene, Precursors of τ -Phase Conductors", *Z. Naturforsch.* 56b, 963 (2001).
151. G. C. Papavassiliou, Y. Misaki, T. Miura, K. Takahashi, J. Yamada, and G. A. Mousdis, "New π -Donor Molecules with a Pyrazino-Group and their Conducting Salts", *Z. Naturforsch.* 56b, 297 (2001).

152. T. Konoike, K. Namba, T. Shinada, K. Sakaguchi, G. C. Papavassiliou, K. Murata, Y. Ohfuné, "Efficient Synthesis of EDO-S,S-DMEDT-TTF, a Potent Organic-Donor for Synthetic Metals", *Synlett*, (9) 1476 (2001).
153. G. C. Papavassiliou, G. A. Mousdis, and G. C. Anyfandis, "An Improved Synthesis of Nickel-bis(5,6-dihydro-1,4-dioxine-2,3-dithiolate), Ni(edo)₂". *Z.Naturforsch.* 57b, 707 (2002).
154. C.P. Raptopoulou, A. Terzis, G. A. Mousdis, and G. C. Papavassiliou, "Preparation, Structure and Optical Properties of [CH₃SC(NH₂)₂]₃SnI₅, [CH₃SC(NH₂)₂]₂[HSC(NH₂)₂]SnBr₄, [CH₃C₅H₄NCH₃]PbBr₃ and [C₆H₅CH₂SC(NH₂)₂]₄Pb₃I₁₀", *Z.Naturforsch.* 57b, 645 (2002).
155. T. Konoike, K. Murata, K. Iwashita, H. Yoshino, T. Sasaki, K. Hiraki, T. Takahashi, Y. Nishio, K. Kajita, H. Tajima, G. C. Papavassiliou, "Giant Shubnikov-de Haas Oscillation and the New Metallic State in the Organic τ -Type Conductors", *J.Phys. Chem. Sol.* 63, 1245 (2002).
156. G. C. Papavassiliou, I. B. Koutselas, G. A. Mousdis and G. J. Papaioannou, "Some Organic-Inorganic Hybrid Semiconductors Obtained from Melts" in "Mol. Low-Dim. And Nanostructured Mat. For Adv. Applications" Edited by A. Graja et al, Kluwer Acad. Publ., The Netherlands (2002), p. 319.
157. H. Yoshino, T. Konoike, K. Murata, G. C. Papavassiliou, T. Sasaki, T. Yamamoto, and H. Tajima, "Electrical and Magnetic Properties of weak Ferromagnetic Organic Conductor τ -(EDO-S,S-DMEDT-TTF)₂ (AuBr₂)_{1+y} (y=0.75) and its Analogs", *Mol. Cryst. Liq. Cryst.* 376, 171 (2002).
158. Y. Nishio, K. Nara, K. Kajita, H. Yoshino, K. Murata and G. C. Papavassiliou, "Mysterious Thermal Properties of τ -(EDO-5,5-DMEDT-TTF)₂ (AuBr₂)_{1+y} and τ -(P-

S,S-DMEDT-TTF)₂(AuBr₂)_{1+y} (y similar to 0.75), *Mol. Cryst. Liq. Cryst.* 379, 107 (2002).

159. J.S. Brooks, L. Balikas, K. Storr, B.H. Ward, S. Uji, T. Terashima, C. Terakura, J. A. Schlueter, R.W. Winter, J. Mohtasham, G.L. Gard, G.C. Papavassiliou and M. Tokumoto, "Electronic Structure of Novel Cation Radical Salts in High Magnetic Fields", *Mol. Cryst. Liq. Cryst.* 380, 109 (2002).

160. D. Graf, L. Balicas, J. S. Brooks, C. Mielke and G. C. Papavassiliou, "Magnetic Field-Induced Density Wave Transition in a tau-Phase Organic Conductor", *Int. J. Modern Phys. B*, 16, 3105 (2002).

161. T. Konoike, K. Iwashita, H. Yoshino, K. Murata, T. Sasaki, and G. C. Papavassiliou, "Shubnikov-de Hass Oscillations in a 2D Organic Conductor τ -(EDO-S,S-DMEDT-TTF)₂(AuBr₂)_{1+y} (y~0.75)", *Phys. Rev. B* 66, 245308 (2002).

162. M. Clemente-Leon, E. Coronado, J. R. Galan-Maskaros, Gimezez-Saiz, C. J. Gomez-Garcia, J.M. Fabre, G. A. Mousdis, and G. C. Papavassiliou, "Hybrid Molecular Materials Based Upon Organic π -Donor and Inorganic Metal Complexes: Conducting Salts of Bis(ethylenediseleno) tetrathiafulvalene (BEST) with Octahedral Anions Hexacyanoferrate (III) and Nitroprusside", *J. Sol. St. Chem* 168, 616 (2002).

163. T. Goto, N. Oshima, G. Mousdis and G.C. Papavassiliou, "Exciton Dynamics in Synthetic One Dimensional Semiconductor C₁₀H₇CH₂NH₃PbI₃", *Nonlinear Optics* 29, 379 (2002).

164. G. C. Papavassiliou, G. A. Mousdis, A. Terzis, and C. P. Raptopoulou, « Crystal Structure and Optical Properties of 4-[4-(Dimethylamino)styryl]-1-methylpyridinium Lead Tribromide", *Z. Naturforsch* 58b, 815 (2003).

165. K. Murata, T. Konoike, K. Iwashita, H. Yoshino, T. Sasaki, K. Hiraki, T. Takahashi, Y. Nishio, K. Kajita, and G. C. Papavassiliou, "Evidence for a Metallic, but Unusual Ground State in τ -Conductors", *Synth. Met.* 133-134, 103 (2003).
166. T. Konoike, K. Iwashita, T. Sasaki, K. Hiraki, T. Takahashi, G.C. Papavassiliou, H. Yoshino and K. Murata, "Giant Shubnikov-de Haas Oscillations in τ -Conductors", *Synth. Metals* 133-134, 157 (2003).
167. K. Hiraki, T. Takahashi, T. Konoike, H. Yoshino, K. Murata, and G.C. Papavassiliou, "Low Temperature Ground State of τ -Type Organic Conductors", *Synth. Met.* 133-134, 159 (2003).
168. G. C. Papavassiliou, G. A. Mousdis, G. C. Anyfantis, N. Assimonytis, and B. R. Steele, "Preparation and Characterization of 5,6-Dimethyl-5,6-dihydro- [1,4]-diseleno [2,3-d] dithiole-2-thione and Similar Compounds", *Z. Naturforsch.* 58b, 813 (2003).
169. Y. Nishio, K. Nara, K. Kajita, H. Yoshino, K. Murata and G. C. Papavassiliou, "Anomalous Specific Heat of τ -Type Organic Conductors:", *Synth. Met.* 135-136, 667 (2003).
170. T. Konoike, K. Iwashita, I. Nakano, H. Yoshino, T. Sasaki, Y. Nogami, J. S. Brooks, D. Graf, C. H. Mielke, G.C. Papavassiliou, and K. Murata, "Shubnikov-de Haas Oscillations and Fermi Surface of τ -Phase Conductors", *Physica E* 18, 188 (2003).
171. H. Yoshino, M. Inoue, H. Tajita, R. Sakamoto, J. Yamazaki, T. Konoike, G. C. Papavassiliou, and K. Murata, "Reflection Spectroscopy of τ -Phase Organic Conductors Under the Magnetic Field", *Synth. Met.* 135-136, 555 (2003).

172. G. C. Papavassiliou, G. A. Mousdis, A. Terzis, C. Raptopoulou, K. Murata, T. Konoike, H. Yoshino, A. Graja and A. Lapinski, "New Donor Molecules and Their τ -phase Conducting Salts", *Synth. Met.* 135-136, 651 (2003).
173. T. Konoike, K. Iwashita, I. Nakano, H. Yoshino, T. Sasaki, T. Takahashi, Y. Nogami, J. S. Brooks, D. Graf, C.H. Mielke, G. C. Papavassiliou, and K. Murata, "Shubnikov-de Haas Oscillations and Low Temperature Electronic Structure in τ -Phase Conductors", *Synth. Met.* 135-136, 615 (2003).
174. J. S. Brooks, D. Graf, E. Choi, L. Balicas, K. Storr, C. H. Mielke, and G. C. Papavassiliou, "High Magnetic Field-Induced Insulating Phase in an Organic Conductor", *Phys. Rev.* B67, 153104 (2003).
175. A. Lapinski, A. Graja, G. C. Papavassiliou, and G. A. Mousdis « Optical Properties of the Conducting Salt τ -(P-S,S-DMEDT-TTF)₂ (AuBr₂) (AuBr₂)_y ($y \approx 0.75$)", *Synth. Met.* 139, 405 (2003).
176. G. C. Papavassiliou, "Tetrachalcogenafulvalenes with Four Additional Heteroatoms", (INVITED REVIEW ARTICLE) in «TTF Chemistry: Fundamental and Applications of Tetrathiafulvalene», Edited by J.-I. Yamada and T. Sugimoto; Kodansha- Springer, Tokyo, chap. 2, p.p. 35-58 (2004).
177. E. Zhilyaeva, S. Torunova, R. Lyubovskaya, G. Mousdis, G. C. Papavassiliou, J. Perenboom, S. Pesotskii, and R. Lyubovskii, "New Ambient pressure Organic Superconductor with $T_c=8.1$ K, Based on Unsymmetrical Donor Ethylenedithiotetrathiafulvalene: (EDT-TTF)₄Hg_{2.83}I₈, $\delta=0.1-0.2$ ", *Synth. Met.* 140, 151 (2004).
178. R.N. Lyubovskaya, E.I. Zhilyaeva, S.A. Torunova, G.A. Mousdis, G.C. Papavassiliou, J.A.A.J. Perenboom, P. I. Pesotskii, and R.B. Lyubovskii, "New Ambient Pressure

- Organic Superconductor with $T_c=8.1$ K: $(\text{EDT-TTF})_4\text{Hg}_{3-\delta}\text{I}_8$ ”, *J. Physique IV*, 114, 463 (2004).
179. G.C. Papavassiliou, G.A. Mousdis, A. Terzis, C. Raptopoulou, K. Murata, L. Li, and H. Yoshino, “New Donor Molecules, Precursors of Conducting Salts”, *J. Physique IV*, 114, 569 (2004).
180. K. Murata, T. Nakanishi, H. Yoshino, T. Konoike, J. Brooks, D. Graf and G.C. Papavassiliou, “Possible Quantum Hall Effect in the 2-Dimensional Organic Conductor, τ - $(\text{EDO-S,S-DMEDT-TTF})_2(\text{AuBr}_2)_{1+y}$ in the Two-Fermi Surface System”, *J. Physique IV*, 114, 343 (2004).
181. K. Murata, H. Yoshino, T. Nakanishi, T. Konoike, J. Brooks, D. Graf, C. Mielke, and G. C. Papavassiliou, “A New Quantum Hall Effect in the 2-Dimensional Organic Conductor, τ - $(\text{EDO-SS-DMEDT-TTF})_2(\text{AuBr}_2)_{1+y}$ ”, *Curr. Appl. Phys.* 4, 488 (2004).
182. (a) G. A. Mousdis, G. C. Papavassiliou, N. Psaroudakis and G.C. Anyfantis, “Synthesis of Some New Electron π -Donors Containing Methoxy Groups”, *Z. Naturforsch.* 59b, 839 (2004); (b) Γ. Α. Μούσδης, Γ. Κ. Παπαβασιλείου, Γ. Χ. Ανυφαντής, Ν. Ψαρουδάκης, Α. Τερζής, Κ. Ραπτοπούλου, Ν. Ασημομύτης, Δ. Παπαχατζής και Κ. Murata, Πρακτικά Πανελ. Συν. Φυσικής Στερεάς Κατάστασης και Επιστ. Υλικών, Θεσσαλονίκη 2003, σελ. 311 (2004).
183. G. C. Papavassiliou, G. A. Mousdis, G.C. Anyfantis, K. Murata, L. Li, H. Yoshino, H. Tajima, T. Konoike, J. S. Brooks, D. Graf and E.S. Choi, “Structural and Physical Properties of τ - $(\text{EDO-S',S-DMEDT-TTF})_2(\text{AuBr}_2)_{1+y}$ and τ - $(\text{P-S',S-DMEDT-TTF})_2(\text{AuBr}_2)_{1+y}$ ”, *Z. Naturforsch.* 59a, 952 (2004).
184. G. C. Papavassiliou, G. A. Mousdis, G. C. Anyfantis, K. Murata, T. Nakanishi, L. Li, H. Yoshino, H. Tajima, M. Inoue, T. Konoike, J. S. Brooks, E. S. Choi, and D. Graf

“Some New Findings in τ -phase Organic Conductors”, *Materials Science* 22, 365 (2004).

185. T. Nakanishi, L. Li, H. Yoshino, S. Yasuzuka, K. Murata, D. Graf, E.S. Choi, J. S. Brooks and G. C. Papavassiliou, “Is the Resistance Upturn Around 50K Related to the Fermi Surface Area in τ -(EDO-*S,S*-DMEDT-TTF)₂ (AuBr₂)_{1+y}”, *Synth. Metals* 152, 425 (2005).
186. J. S. Brooks, D. Graf, Y. Oshima, E.S. Choi, K. Murata, T. Konoike and G. C. Papavassiliou, “Magnetic, Thermoelectric, and Pressure Studies of the Magnetic Field-Induced Metal to Insulator Transition in tau-Phase Organic Conductors”, *Synth. Metals* 152, 441 (2005).
187. L. Li, H. Yoshino, T. Nakanishi, G. C. Papavassiliou, G. A. Mousdis, T. Sasaki, and K. Murata, “Pressure-Induced Low Resistive and Insulating Phases in τ -(EDO-*R,R*-DMEDT-TTF)₂(AuI₂)_{1+y}”, *Synth. Metals* 152, 445 (2005).
188. H. Yoshino, T. Nakanishi, L. Li, K. Murata, D. Graf, E.S. Choi, J. S. Brooks, Y. Nogami, and G. C. Papavassiliou, “Evidence of Band-Filling Control of τ -Type Organic Conductors by Thermal Treatment”, *Synth. Metals* 153, 453 (2005).
189. H. Yoshino, K. Murata, T. Nakanishi, L. Li, E.S. Choi, D. Graf, J. S. Brooks, Y. Nogami, and G. C. Papavassiliou, “Determination of Band-filling Change in the two-Dimensional Organic conductor τ -(EDO-*S,S*-DMEDT-TTF)₂(AuBr₂)_{1+y} by the Quantum Oscillation and Magnetoresistance”, *J. Phys. Soc. Jpn.* 74, 417 (2005).
190. D. Graf, E. Choi, J. Brooks, N. Harrison, K. Murata, T. Konoike, G. A. Mousdis and G. C. Papavassiliou, “Magnetization, Thermoelectric, and Pressure Studies of Magnetic Field-induced Metal to Insulator Transition in τ -Phase Organic Conductors”, *Phys. Rev. B* 71, 045117 (2005).

- 191.H. Makino, T. Goto, T. Yao, G. A. Mousdis, and G. C. Papavassiliou “Induced Absorption and Spontaneous Emission Due to Biexciton in Two-Dimensional Semiconductor $(\text{CH}_3\text{C}_6\text{H}_4\text{CH}_2\text{NH}_3)_2\text{PbBr}_4$ Single Crystal”, *J. Luminesc.* 112, 54 (2005).
- 192.E. I. Zhilyaeva, A. Yu. Kovalvski, S. A. Torunova, G. A. Mousdis, R. B. Lyuborskii, G. C. Papavaassiliou, P. Coppens, and R. N. Lyuborskaya, “Structure and Conductivity of Unsymmetrical π -donor Ethylenedithiadiselenafulvalene Iodomercurate, $(\text{EDT-DTDSF})_4\text{H}_3\text{I}_8$ ”, *Synth. Metals*, 150, 245 (2005).
- 193.G. C. Papavassiliou and G. S. Anyfantis “Alternative Method for the Preparation of Ni(dddt) (edt) (dddt=5,6-Dihydro-1,4-dithin-2,3-dithiolate, edt=cis-1,2-Ethylenedithiolate/ and Similar Complexes”, *Z. Naturforsch.* 60b, 811 (2005).
- 194.K. D. Gatsouli, S. Pispas, G. Mousdis, G. C. Papavassiliou, E. I. Kamitsos, , “Hybrid Materials Based on CdS and CdSe Nanoparticles in Glassy Block Copolymers”, *Phys. Chem. Glasses*, 46, 197 (2005).
- 195.T. Goto, H. Makino, T. Yao, C. H. Chia, T. Makino, Y. Segawa, G. A. Mousdis, and G. C. Papavassiliou, “Localization of Triplet Excitons and Biexcitons in the Two-dimensional semiconductor $(\text{CH}_3\text{C}_6\text{H}_4\text{CH}_2\text{NH}_3)_2\text{PbBr}_4$ ”, *Phys.Rev.* B73, 115206 (2006).
- 196.P. Aloukos, S. Couris, J. B. Koutselas, G. C. Anyfantis, and G. C. Papavassiliou, “Transient Nonlinear Optical Response of Novel Neutral Unsymmetrical Nickel Dithiolene Complexes”, *Chem. Phys. Lett.*, 428, 109 (2006).
- 197.G. C. Anyfantis, G. C. Papavassiliou, A. Terzis, C. P. Raptopoulou, Y. F. Weng, H. Yoshino, and K. Murata, “Preparation and Characterization of some Nickel 1,2-Dithiolane Complexes as Single-Component Semiconductors”, *Z. Naturforsch.*, 61b, 1007 (2006).

198. T. Nakanishi, S. Yasuzuka, H. Yoshino, H. Fujiwara, T. Sugimoto, Y. Nishio, K. Kajita, G. A. Anyfantis, G. C. Papavassiliou, and K. Murata, "Is the Two-Dimensional Organic Conductor τ -(EDO-S,S-DMEDT-TTF)₂ (AuCl₂)_{1+y} Clean or Dirty?", *J. Low Temp. Phys.* **142**, 247 (2006).
199. T. Nakanishi, S. Yasuzuka, H. Yoshino, H. Fujiwava, T. Sugimoto, Y. Nishio, K. Kajita, G. C. Anyfantis, G. C. Papavassiliou, and K. Murata, "Magnetic Ground State of Quasi-two-dimensional Organic Conductor, τ -(EDO-S,S-DMEDT-TTF)₂ (AuCl₂)_{1+y}", *J. Phys.: Conf. Series*, **51**, 343(2006).
200. G. C. Anyfantis, G. C. Papavassiliou, P. Aloukos, S. Couris, Y. F. Weng, H. Yoshino, and K. Murata, "Unsymmetrical Single-Component Nickel 1,2-Dithiolene Complexes with Extended Tetrachalcogenafulvalenedithiolato Ligands", *Z. Naturforsch.*, **62b**, 200 (2007).
201. G. C. Papavassiliou, G. C. Anyfantis, B. R. Steele, A. Terzis, C. P. Raptopoulou, G. Tatakis, G. Chaidogiannos, N. Glezos, Y. F. Weng, H. Yoshino, and K. Murata, "Some New Nickel Dichalcogenolene Complexes as Single Component Semiconductors", *Z. Naturforsch.*, **62b**, 679 (2007).
202. T. D. Anthopoulos, G. C. Anyfantis, G. C. Papavassiliou, and D. M. deLeeuw, "Air-stable Ambipolar Organic Transistors", *Appl. Phys. Lett.*, **90**, 122105 (2007).
203. G. Pagona, A. S. D. Sandanayka, A. Maigné, J. Fan, G. C. Papavassiliou, I. D. Petsalakis, B. R. Steele, M. Yudasaka, S. Iijima, N. Tagmatarchis, and O. Ito, "Photo induced Electron Transfer on Aqueous Carbon Nanoborn-Pyrene-Tetrathiafulvalene Architectures", *Chem. Eur. J.* **13**, 7606 (2007).

204. G. C. Papavassiliou, G. C. Anyfantis, and I. B. Koutselas, "Some Air-stable Unsymmetrical Nickel 1,2-dithiolenes with Extended Tetrathiafulvalenedithiolato Ligands", *Z. Naturforsch.*, **62b**, 1481 (2007).
205. E. I. Zhilyaeva, A. Y. Kovalevsky, R. B. Lyuborskii, S. A. Torunova, G. A. Mousdis, G. C. Papavassiliou, and R. N. Lyuborskaya, "Anion chain structure controlled behavior of Phase Transition in Quasi-Two-Dimensional Organic Metal (EDT-TTF)₄[Hg₃I₈]_{1-x}", *Crystal Growth and Design* **7**, 2769 (2007).
206. H. Yoshino, G. C. Papavassiliou, and K. Murata, "Low-Dimensional Organic Conductors as Thermo-electric Materials", *J. Therm. Anal. Calor.*, **92**, 457 (2008).
207. G. C. Anyfantis, G. C. Papavassiliou, N. Assimomytis, A. Terzis, V. Pshyharis, C. P. Raptopoulou, P. Kyritsis, V. Thoma, and I. B. Koutselas, "Some Unsymmetrical Nickel 1,2-dithiolene complexes as Candidate Materials for Optics and Electronics", *Sol. State Sci.*, **110**, 1729 (2008).
208. G. C. Papavassiliou, G. C. Anyfantis, A. Terzis, V. Psycharis, P. Kyritsis, and P. Paraskevopoulou, "Some Unsymmetrical Metal 1,2-Dithiolenes Based on Palladium, Platinum and Gold", *Z. Naturforsch.* **63b**, 1377 (2008).